Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
#	nis	Search Query	DOS	Operator	Plutais	Time Stamp
L1	13	((session near3 memory) and ((call method function) near3 memory)) and (object\$1 near5 reference\$1) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:31
L2	12	((session near3 memory) and ((call method function) near3 memory)) and (object\$1 near5 reference\$1) and (pointer\$1 with array) and ((access\$3 locat\$3 creat\$3) with object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:32
L3	1891	719/312-316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:33
L4	403	L3 and ((access\$3 invok\$3 referenc\$3) with object\$1 same pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:33
L5	189	L4 and ((session call method function) near5 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:34
L6	45	5 and (pointer\$1 near5 array\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 08:34
S1	343	(session near3 memory) and ((call method function) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 09:43
S2	43	((session near3 memory) and ((call method function) near3 memory)) and (object\$1 near4 reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 15:43
S3	10	((session near3 memory) and ((call method function) near3 memory)) and (object\$1 near5 reference\$1) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/04 15:43
S4	1	"6161147".PN.	USPAT	OR	OFF	2004/05/04 15:44
S5	1	"6275916".PN.	USPAT	OR	OFF	2004/05/04 15:45

S6	3	"6711699".pn.	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/05/04 17:43
			DERWENT; IBM_TDB			
S7	1694	719/312-316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:14
S8	367	S7 and ((access\$3 invok\$3 referenc\$3) with object\$1 same pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:16
S9	181	S8 and ((session call method function) near5 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:17
S10	1	"6 44 2663".PN.	USPAT; USOCR	OR	OFF	2005/02/22 15:28
S11	37	(session adj2 memory) and ((call method function) adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:51
S12	22	S11 and pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/23 14:49
S13	47	717/114,116,118.ccls. and (array with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:19
S14	1	"6584612".pn. and (array with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 10:02
S15	49	717/114,116,118.ccls. and (object\$1 with pointer\$1 with (key id identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:39
S16	5	(("6671783") or ("6678697") or ("6279012") or ("6457019") or ("6401185")).PN.	USPAT	OR	OFF	2005/09/20 12:40

S17	1885	719/312-316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:13
S18	403	S17 and ((access\$3 invok\$3 referenc\$3) with object\$1 same pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:13
S19	189	S18 and ((session call method function) near5 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:13
S20	12	((session near3 memory) and ((call method function) near3 memory)) and (object\$1 near5 reference\$1) and hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:31